

---

Guru99 Provides [FREE ONLINE TUTORIAL](#) on Various courses like

[Java](#) | [MIS](#) | [MongoDB](#) | [BigData](#) | [Cassandra](#) | [Web Services](#)

---

[SQLite](#) | [JSP](#) | [Informatica](#) | [Accounting](#) | [SAP Training](#) | [Python](#)

---

[Excel](#) | [ASP Net](#) | [HBase](#) | [Testing](#) | [Selenium](#) | [CCNA](#) | [NodeJS](#)

---

[TensorFlow](#) | [Data Warehouse](#) | [R Programming](#) | [Live Projects](#) | [DevOps](#)

---

## Top 22 Chemistry Interview Questions & Answers

### 1) Explain the term Aliquot and Diluent?

- Aliquot: It is a measured sub-volume of the original sample
- Diluent: Material with which sample is diluted

### 2) What is molality?

Molality is the number of solutes that are present in 1 kg of a solvent.

### 3) What is titration?

Titration is a process to determine the molarity of a base or an acid. In this process, a reaction is carried out between the known volumes of a solution with a known concentration, against the known volume of a solution with an unknown concentration.

### 4) What is a buffer?

A buffer is an aqueous solution which has highly stable pH. It is a blend of a weak acid and its conjugate base or vice versa. On adding a small amount of base or acid to buffer, its pH hardly changes.

### 5) How does buffer work?

In buffer when hydrogen ion is added, it will be neutralized by the base in the buffer. Hydroxide ion will be neutralized by the acid. On the overall pH of the buffer solution, these neutralization reactions will not show much effect.

While when you select an acid as a buffer solution, try to use an acid that has a pH closed to your desired pH. This will help your buffer to achieve a nearly equivalent amount of acid and conjugate base, so that it will enable to neutralize as much as H<sup>+</sup> and OH<sup>-</sup>.



### 6) What is a mole?

Mole is the unit used to define the number of chemical substance present in a substance. It is the amount of substance which consists of the same number of chemical units as there are atoms in exactly 12 gram of pure carbon-12.

### 7) How will you calculate how many moles of glucose present in 320 mL of 5.0 M of glucose solution?

First step: Convert the volume from millilitres to litres

- $320 \times (1 \text{ litre}/1000\text{mL}) = 0.320 \text{ L solution}$

Second use the formula =  $M \times V$

=  $5.0 \text{ moles glucose/ litre solution} \times 0.320 \text{ L solution}$

=  $1.6 \text{ moles of glucose present in } 320\text{mL of solution}$

### 8) Explain what is the difference between fractionation and distillation?

Both methods are used to separate the components present in the solution based on the melting points

- Distillation: This technique is used when the boiling point of chemicals are different in the mixtures
- Fractionation: This technique is used when the boiling point of chemicals are close to each other in the mixtures

**9) Mention the formula to calculate pH of a solution?**

In order to calculate the pH of a solution you have to use the formula  $\text{pH} = -\log [\text{H}^+]$  or  $\text{pH} = -\log [\text{H}_3\text{O}^+]$

**10) What is the difference between Molarity and Normality?**

Both techniques are used to the amount of chemical present in the solution. However, they are almost similar but differs in

Molarity	Normality
- Molarity is used to know the total amount of molecules in a 1-liter solution	- Normality is used to know the total number of reactive units in 1 liter of solution
- It is expressed as moles of a compound per litre of solution	- It is expressed in equivalent per litre

**11) What is Valency?**

Valency is a property of groups or atoms, equal to the number of atoms of hydrogen that the group or atom could combine with or displace it in forming compounds.

**12) Define Avogadro's law?**

According to Avogadro's law, at the same temperature and pressure, an equal volume of gases contains the same number of molecules regardless of the chemical nature and physical properties.

Avogadro's number =  $6.023 \times 10^{23}$

**13) Explain what makes a molecule into organic molecule?**

In a molecule when a hydrogen atom is less than the ratio of the carbon atom, then such molecules are referred to as an organic molecule.

**14) Which metal is used to extract copper from the solution of copper sulfate?**

Fe or ferrous is the metal that is used to extract copper from the solution of copper sulphate.

**15) Explain what is the chemical composition of fat in the human body?**

The fat found in the human body is mainly composed of

- Glycerides
- Glycerides+Phospholipids
- Glycolipids

- Phosphoinositides
- Tocopherol

**16) What is the monomer of polyethylene?**

The monomer of polyethylene is ethylene

**17) What is the formula you will use to calculate how many milliliters of 5.5 M NaOH are required to prepare 400 mL of 1.5M NaOH?**

To know the amount or volume of NaOH to prepare 400 mL of 1.5 M NaOH, we use formula

$$M_1 \times V_1 = M_2 \times V_2$$

$$V_1 = M_2 \times V_2 / M_1$$

But before that we will convert 400 mL into litre = 0.4 L

$$5.5 \times V_1 = 1.5 \text{ M} \times 0.4 \text{ L}$$

$$V_1 = 1.5 \text{ M} \times 0.4\text{L} / 5.5$$

$$V_1 = 0.10 \text{ L}$$

$$V_1 = 100\text{mL}$$

So, you need 100mL of 5.5 NaOH

**18) Why graphite rod is used in nuclear reactor?**

A graphite rod is used in a nuclear reactor allows un-enriched uranium to be used as a nuclear fuel.

**19) Mention how many milliliters is equal to 1 liter and how many microliters is equal to liter?**

- 1 millilitre = 0.001 litre
- 1 microliter = 0.0000001 litre

**20) What is oxidation and reduction reaction?**

- Oxidation = When there is a loss of hydrogen or electrons OR gain of oxygen is known as Oxidation reaction.
- Reduction = When there is a gain of hydrogen or electron OR loss of oxygen is known as a reduction reaction

Example of oxidation-reduction reaction is observed in the human body when an electron is transferred into the cell and oxidation of glucose take place from which we get the energy.

**21) What does iron ore consist of?**

Iron ore is consists of  $\text{Fe}_2\text{O}_3$

**22) Explain what is dextro-rotatory and levorotatory?**

Levorotation and Dextrorotation are referred to the properties of plane polarized light when light rotates clockwise when it approaches the observer is then known as dextro-rotation, and when the light rotates anti-clockwise then it is referred as levorotation.

A compound which exhibits a dextro-rotation is referred to as dextro-rotatory and which exhibits levorotation is referred to as levorotatory.